



Application For Land Drainage Consent

Office Use Only	
Date Received:	
Application Fee Received:	
Application Reference:	
Internal Drainage Board:	Pevensey & Cuckmere

1 Applicant's Details

Name:			
Address:			
Postcode:		Tel. No.:	
Email:			

2 Agent's Details

Name:			
Address:			
Postcode:		Tel. No.:	
Email:			

3 Location of Proposal *(please include a location plan with your application)*

Location: (property, street, postcode or site name)			
District/Borough:			
Parish/Town:			
Grid Reference	(6 figure easting):		
	(6 figure northing):		
Applicant's interest in the land: (owner/tenant/developer etc)			

Please Note: Unless your deeds indicate otherwise where the watercourse that is the subject of this application forms the boundary of your property you may be the joint riparian owner together with the landowner on the other side. In the case of joint riparian ownership, each party is presumed to own up to the centre line of the watercourse and therefore is responsible up to this point.

4 **Description of the Proposed Works** (please include a plan of your proposed works with your application)

Description of proposed works: (Please remember to include a description of any below ground works such as services)	
Are the works:	Permanent <input type="checkbox"/> Temporary <input type="checkbox"/> (please tick)
If temporary, duration of consent requested:	
Planning application Number: (if applicable)	

Do the works include: (tick all that apply)		
(a)	Discharge of treated foul water directly within the Board's district (Byelaw 3)	<input type="checkbox"/> → Complete section 5 and add £100 to fee
(b)	Discharge of surface water into Board's district (directly or indirectly) (Byelaw 3)	<input type="checkbox"/> → Complete section 6 and add £100 to fee
(c)	Works within 9 metres of Board's adopted watercourse or other drainage or flood risk management infrastructure (Byelaw 10)	<input type="checkbox"/> → Complete section 7 and add £50 to fee
(d)	Alterations to a watercourse (including infilling, culverting or amending) (Byelaw 4 and Section 23, Land Drainage Act 1991)	<input type="checkbox"/> → Complete section 8 and add £50 to fee
		Total Application Fee: <input type="text"/>

Please see links to IDB maps (including adopted watercourses) for the Pevensey and Cuckmere WLMB
https://www.wlma.org.uk/uploads/PCWLMB_MapIndex.pdf

Also please note that outfalls to Board maintained watercourses are included in the definition of works under Byelaw 10.

5 **Discharge of treated foul water within the Board's District**

(a)	Is the proposed discharge making use of an existing outfall?	Yes <input type="checkbox"/> No <input type="checkbox"/> (please tick)
(b)	If you are proposing to use an existing outfall how do you intend to connect to it?	
(c)	What is the size (diameter) of the proposed or existing outfall:	<input type="text"/> Millimetres (mm)
(d)	What is the proposed maximum daily rate of discharge?	<input type="text"/> Cubic metres (m ³)

6 **Discharge of surface water into Board's District (Directly or Indirectly)**

(a)	Is the proposed discharge making use of an existing outfall?	Yes <input type="checkbox"/> No <input type="checkbox"/> (please tick)
(b)	If you are proposing to use an existing outfall how do you intend to connect to it?	
(c)	What is the size (diameter) of the proposed or existing outfall:	<input type="text"/> Millimetres (mm)
(d)	What is the proposed maximum rate of discharge?	<input type="text"/> Litres per second (l/s)
(e)	What is the area of impermeable surface positively drained to the watercourse prior to development?	<input type="text"/> Square metres (m ²)
(f)	What is the proposed area of impermeable surface to be positively drained to the watercourse post development?	<input type="text"/> Square metres (m ²)

Please Note: If you are using multiple outfalls please provide the required outfall size and location for each outfall point.

7 Works within 9 metres of Board's adopted watercourse or other drainage or flood risk management infrastructure

(a)	What is the drain name / code of the IDB watercourse affected?	
(b)	What is the IDB catchment code for the IDB watercourse affected?	

Please see previous note under section 4 for links to IDB maps. Also please note that outfalls to Board maintained watercourses are included in the definition of works under Byelaw 10.

8 Works to alter a watercourse (including infilling, culverting or amending)

(a)	Does your proposal involve culverting (piping) a watercourse?	Yes <input type="checkbox"/> No <input type="checkbox"/> (please tick)	
(b)	What is the size (diameter) of the proposed pipe to be used?		Millimetres (mm)
(c)	What length of watercourse are you proposing to alter?		Metres (m)

9 Declaration

(a)	Is/Are the applicant(s) or agent (or if the applicant or agent is a company, is any partner or director thereof) a Member or employee of the Board, or related to someone who is?	Yes <input type="checkbox"/> No <input type="checkbox"/> (please tick)	
(b)	I confirm that the applicant(s) has/have read the accompanying guidance document and Board's policies and accept(s) and agree(s) to comply with them. I enclose a copy of all requested plans and drawings, together with the appropriate application fee. The applicant(s) understand(s) that if this application is granted consent there may be conditions imposed and/or fees due, which must all be complied with/paid in full prior to work commencing. By signing below you are declaring that, as far as you know, the information given in this application, including any supporting documentation, is true.		
(c)	SIGNED:		Applicant <input type="checkbox"/> Agent <input type="checkbox"/> (please tick)
(d)	DATE:		

10 Data Protection Disclaimer

We will process the information you provide in line with the Data Protection Act 2018 so that we can deal with your application. We may also process or release the information to:

- offer you documents or services relating to environmental matters;
- consult the public, public organisations and other organisations (for example, the Health and Safety Executive, local authorities, the emergency services, the Department for Environment, Food and Rural Affairs) on environmental issues;
- carry out research into environmental issues and develop solutions to problems;
- provide information from the public register to anyone who asks;
- prevent anyone from breaking environmental law, investigate cases where environmental law may have been broken, and take any action that is needed;
- assess whether customers are satisfied with our service and improve it where necessary; and
- Respond to requests for information under the Freedom of Information Act 2000 and the Environmental Information Regulations 2004 (if the Data Protection Act allows).

We may pass the information on to our agents or representatives to do these things for us.

11 How to submit

Email:	Scan and send to planning@wlma.org.uk
Post:	Kettlewell House Austin Fields Industrial Estate KING'S LYNN Norfolk PE30 1PH

12 How to pay (Applications not valid until payment received)

Cheque:	Payable to "Pevensy & Cuckmere WLMB"
BACS: *	Sort Code – 30 90 92, Account No – 34155268
Card: *	Call 01553 819 611 - ask for Graham Tinkler
*Please clearly reference the applicant's name or site location	

For assistance in filling in this form please refer to our Land Drainage Consent Application Form and Technical Guidance Notes or telephone 01553 819 600